



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/676,301	09/30/2003	Jack A. McClure	25106	8163

28624 7590 09/30/2004

WEYERHAEUSER COMPANY  
INTELLECTUAL PROPERTY DEPT., CH 1J27  
P.O. BOX 9777  
FEDERAL WAY, WA 98063

EXAMINER

ELKINS, GARY E

ART UNIT	PAPER NUMBER
----------	--------------

3727

DATE MAILED: 09/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/676,301

Applicant(s)

MCCLURE, JACK A.

Examiner

Gary E. Elkins

Art Unit

3727

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09/30/03 & 02/03/04 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_.

## **DETAILED ACTION**

### ***Drawings***

1. New corrected drawing figures 1 and 3-6 in compliance with 37 CFR 1.121(d) are required in this application because Applicant's response filed 03 February 2004 included only fig. 2 while the Notice of Files Missing Parts required replacement of all the drawings. Figs. 1 and 3-6 are objected to for the same reasons as set forth in the previous Notice. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "lift cutout formed in the second side panel and said second divider panel" as set forth in claim 4 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the

Art Unit: 3727

renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. Fig. 1 of the drawings are objected to because 24' and 26' are inconsistent with the numerals shown for these elements in the other figures, i.e. 24 and 26. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: 24' and 26'.

Art Unit: 3727

Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Specification***

5. The disclosure is objected to because of the following informalities: (1) On page 2, last line, "tom" appears to be misspelled. (2) On page 3, line 3 from the end, "as novel aspect of this invention is introduced" is unclear within the context of the sentence.

Appropriate correction is required.

6. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: the specification provides no antecedence for the terms "lift cutout" or "second divider panel" as set forth in claim 4.

### ***Claim Rejections - 35 USC § 112***

7. Claim 4 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which

Art Unit: 3727

it is most nearly connected, to make and/or use the invention. The disclosure fails to enable one to make and use a lift cutout formed in the second side panel and fails to enable one to make and use a "second divider panel" within the container. No description of a divider panel is found in the specification or drawings.

8. Claim 4 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. No written description can be found of the construction set forth in claim 4.

9. Claims 1-5 and 8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, lines 4 and 5, "a side panels" and "a end panels" are each grammatically unclear and unclear with respect to how many of each are claimed.

In claim 1, lines 6 and 8 and claim 5, "said side panel", "said end panel" and "said end panel" are each unclear insofar as a plurality of each was previously defined in the claims, i.e. which of the plurality is being referred to?

The following each lack antecedent basis in the claims: claim 3, "the corrugated material" (when containerboard or paperboard is claimed), claim 4, "said second side panel" and "said second divider panel" and claim 8, "the corrugated material" (when containerboard or paperboard is claimed). It would appear that claims 3 and 8 should first positively define that the

Art Unit: 3727

material is corrugated (as opposed to containerboard or paperboard) and then define the corrugated board more specifically.

***Claim Rejections - 35 USC § 102***

10. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

11. Claims 1-3 and 5-9 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by McClure '377.

12. Claims 1, 2, 5-7, 9 and 10 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by McClure '020.

***Conclusion***

It is noted that claim 4 has not been rejected over prior art. This should not be construed as an indication of allowable subject matter. The scope of claim 4 could not be determined sufficiently to make a determination as to the patentability of this claim due to the lack of disclosure as set forth in paragraphs 2 and 6-8 above.

The remaining cited prior art is illustrative of the general state of the art.

In order to reduce pendency and avoid potential delays, Technology Center 3700 is encouraging FAXing of responses in Office Actions to (703)872-9306. This practice may be used for filing papers not requiring a fee. It may also be used for filing papers which require a fee by Applicants who authorize charges to a PTO deposit account. Please identify the Examiner and art unit at the top of your cover sheet.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions regarding access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

If in receiving this Office Action, it is apparent that certain documents are missing, e.g. copies of references cited, form PTO-892, etc., requests for copies of such papers should be directed to Errica Bembry at (703)306-4005.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist at (703)308-1078.

Any inquiry concerning this communication or earlier communication from the Examiner should be directed to Gary Elkins at telephone number (703)308-1034. The Examiner can normally be reached Monday through Thursday.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Mr. Lee Young can be reached at (703)308-2572.

  
Gary E. Elkins  
Primary Examiner  
Art Unit 3727